



# F1-RB19 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB19	19 Millimeter Round Baseplate

	Example - Part Number
	F1-RB19-10-32

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB19-10-32

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB23 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB23	23 Millimeter Round Baseplate

	Example - Part Number
	F1-RB23-5/16-18

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB23-5/16-18

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB32 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB32	32 Millimeter Round Baseplate

Example - Part Number
F1-RB32-3/8-16

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB32-3/8-16

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB32#4 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB32#4	32 Millimeter Round Baseplate

Example - Part Number
F1-RB32#4-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB32#4-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB38 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB38	38 Millimeter Round Baseplate

Example - Part Number
F1-RB38-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-RB38-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB38#4 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB38#4	38 Millimeter Round Baseplate

Example - Part Number
F1-RB38#4-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-RB38#4-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB38barb Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB38Barb	38 Millimeter Round Baseplate

Example - Part Number
F1-RB38Barb-5/16-18

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-RB38Barb-5/16-18

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-RB50 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB50	50 Millimeter Round Baseplate

	Example - Part Number
	F1-RB50-1/2-13


Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	
* Grayed-out sizes are not recommended with shown baseplate							

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB50-1/2-13

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service





# F1-RB76 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
RB76	76 Millimeter Round Baseplate

	Example - Part Number
	F1-RB76-3/8-16


Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	
* Grayed-out sizes are not recommended with shown baseplate							

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-RB76-3/8-16

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-SB15 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
SB15	15 Millimeter Square Baseplate

Example - Part Number
F1-SB15-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-SB15-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-SB30 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
SB30	30 Millimeter Square Baseplate

	Example - Part Number
	F1-SB30-3/8-16

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-SB30-3/8-16

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-SB32 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
SB32	32 Millimeter Square Baseplate

Example - Part Number
F1-SB32-1/2-13

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-SB32-1/2-13

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-SB50 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
SB50	50 Millimeter Square Baseplate

	Example - Part Number
	F1-SB50-1/2-13

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-SB50-1/2-13

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T15x11 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T15x11	15x11 Millimeter Rectangular Baseplate

Example - Part Number
F1-T15x11-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

Customer Reference Number
---------------------------

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-T15x11-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T24x11.5 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T24x11.5	24x11.5 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T24x11.5-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-T24x11.5-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T38x11.5 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T38x11.5	38x11.5 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T38x11.5-10-24

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-T38x11.5-10-24

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service





# F1-T38x15 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T38x15	38x15 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T38x15-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	

\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: F1-T38x15-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T38x19 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T38x19	38x19 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T38x19-5/16-18

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-T38x19-5/16-18

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T40x10 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T40x10	40x10 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T40x10-10-24

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-T40x10-10-24

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T50x15 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T50x15	50x15 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T50x15-10-24

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-T50x15-10-24

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-T76x38 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
T76x38	76x38 Millimeter Rectangular Baseplate

	Example - Part Number
	F1-T76x38-3/8-16


Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	
* Grayed-out sizes are not recommended with shown baseplate							

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-T76x38-3/8-16

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service



# F1-HP44 Inch

Rotaloc Int'l, LLC

F1	Female Hex Nut
HP44	44 Millimeter Homeplate Like Baseplate

	Example - Part Number
	F1-HP44-1/4-20

Thread - Inch							
Line 1	4-40	6-32	8-32	10-24	10-32	1/4-20	1/4-28
Line 2	5/16-18	3/8-16	7/16-20	1/2-13	5/8-11	3/4-10	


\* Grayed-out sizes are not recommended with shown baseplate

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: F1-HP44-1/4-20

Contact Rotaloc®
<b>Phone:</b> Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 <b>Address:</b> Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA <b>Email:</b> <a href="mailto:info@rotaloc.com">info@rotaloc.com</a>  <b>Web:</b> <a href="http://www.rotaloc.com">www.rotaloc.com</a>
Value - Quality - Service