



F1-RB19 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB19 | 19 Millimeter Round Baseplate |

| | |
|--|-----------------------|
| | Example - Part Number |
| | F1-RB19-M5 |


| | | | | | |
|---|----|----|----|-----|-----|
| Thread - Metric | | | | | |
| M4 | M5 | M6 | M8 | M10 | M12 |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| | |
|--|---------------------------|
| | Customer Reference Number |
| | |

| |
|--|
| Availability |
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| |
|---|
| Sample Image |
|  |
| As Shown: F1-RB19-M5 |

| |
|--|
| Contact Rotaloc® |
| <p>Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562</p> <p>Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA</p> <p>Email: info@rotaloc.com</p> <p>Web: www.rotaloc.com</p> |
| Value - Quality - Service |



F1-RB23 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB23 | 23 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB23-M6 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|----------------------|
| |
| As Shown: F1-RB23-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB32 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB32 | 32 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB32-M10 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|-----------------------|
| |
| As Shown: F1-RB32-M10 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB32#4 Metric

Rotaloc Int'l, LLC

| | |
|--------|-------------------------------|
| F1 | Female Hex Nut |
| RB32#4 | 32 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB32#4-M6 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-RB32#4-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB38 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB38 | 38 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB38-M6 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-RB38-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB38#4 Metric

Rotaloc Int'l, LLC

| | |
|--------|-------------------------------|
| F1 | Female Hex Nut |
| RB38#4 | 38 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB38#4-M6 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|------------------------|
| |
| As Shown: F1-RB38#4-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB38Barb Metric

Rotaloc Int'l, LLC

| | |
|----------|-------------------------------|
| F1 | Female Hex Nut |
| RB38Barb | 38 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB38Barb-M8 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-RB38Barb-M8 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB50 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB50 | 50 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB50-M12 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-RB50-M12 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-RB76 Metric

Rotaloc Int'l, LLC

| | |
|------|-------------------------------|
| F1 | Female Hex Nut |
| RB76 | 76 Millimeter Round Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-RB76-M10 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-RB76-M10 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-SB15 Metric

Rotaloc Int'l, LLC

| | |
|------|--------------------------------|
| F1 | Female Hex Nut |
| SB15 | 15 Millimeter Square Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-SB15-M6 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-SB15-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-SB30 Metric

Rotaloc Int'l, LLC

| | |
|------|--------------------------------|
| F1 | Female Hex Nut |
| SB30 | 30 Millimeter Square Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-SB30-M8 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-SB30-M8 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-SB32 Metric

Rotaloc Int'l, LLC

| | |
|------|--------------------------------|
| F1 | Female Hex Nut |
| SB32 | 32 Millimeter Square Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-SB32-M12 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|-----------------------|
| |
| As Shown: F1-SB32-M12 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-SB50 Metric

Rotaloc Int'l, LLC

| | |
|------|--------------------------------|
| F1 | Female Hex Nut |
| SB50 | 50 Millimeter Square Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-SB50-M10 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|-----------------------|
| |
| As Shown: F1-SB50-M10 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T15x11 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T15x11 | 15x11 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T15x11-M6 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-T15x11-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T24x11.5 Metric

Rotaloc Int'l, LLC

| | |
|----------|--|
| F1 | Female Hex Nut |
| T24x11.5 | 24x11.5 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T24x11.5-M6 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|--------------------------|
| |
| As Shown: F1-T24x11.5-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T38x11.5 Metric

Rotaloc Int'l, LLC

| | |
|----------|--|
| F1 | Female Hex Nut |
| T38x11.5 | 38x11.5 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T38x11.5-M5 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|--------------------------|
| |
| As Shown: F1-T38x11.5-M5 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T38x15 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T38x15 | 38x15 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T38x15-M6 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|------------------------|
| |
| As Shown: F1-T38x15-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T38x19 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T38x19 | 38x19 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T38x19-M6 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|------------------------|
| |
| As Shown: F1-T38x19-M6 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T40x10 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T40x10 | 40x10 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T40x10-M5 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|------------------------|
| |
| As Shown: F1-T40x10-M5 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T50x15 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T50x15 | 50x15 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T50x15-M5 |

| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|------------------------|
| |
| As Shown: F1-T50x15-M5 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-T76x38 Metric

Rotaloc Int'l, LLC

| | |
|--------|--|
| F1 | Female Hex Nut |
| T76x38 | 76x38 Millimeter Rectangular Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-T76x38-M10 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-T76x38-M10 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |



F1-HP44 Metric

Rotaloc Int'l, LLC

| | |
|------|--|
| F1 | Female Hex Nut |
| HP44 | 44 Millimeter Homeplate Like Baseplate |

| |
|-----------------------|
| Example - Part Number |
| F1-HP44-M8 |


| Thread - Metric | | | | | | |
|---|----|----|----|-----|-----|--|
| M4 | M5 | M6 | M8 | M10 | M12 | |
| * Grayed-out sizes are not recommended with shown baseplate | | | | | | |

The F1 assembly adjoins a standard hex nut to one of our many baseplates. If a deeper thread length is needed we highly recommend using an F2 fitting which can be as deep as 2-inches or 50-millimeters

| |
|---------------------------|
| Customer Reference Number |
|---------------------------|

| Availability |
|--|
| Many common sizes in stock. Call for availability. |

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

| Sample Image |
|---|
|  |
| As Shown: F1-HP44-M8 |

| Contact Rotaloc® |
|--|
| Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com |
| Value - Quality - Service |