



M1-RB19 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB19	19 Millimeter Round Baseplate

	Example - Part Number
	M1-RB19-M5x40


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB19-M5x40

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB23 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB23	23 Millimeter Round Baseplate

	Example - Part Number
	M1-RB23-M4x20


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB23-M4x20

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB23#3 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB23#3	23 Millimeter Round Baseplate

	Example - Part Number
	M1-RB23#3-M6x25

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB23#3-M6x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB32 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB32	32 Millimeter Round Baseplate

	Example - Part Number
	M1-RB32-M8x20

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-RB32-M8x20

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB32#4 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB32#4	32 Millimeter Round Baseplate

	Example - Part Number
	M1-RB32#4-M8x25


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB32#4-M8x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB38 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB38	38 Millimeter Round Baseplate

	Example - Part Number
	M1-RB38-M6x35

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-RB38-M6x35

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB38#3 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB38#3	38 Millimeter Round Baseplate

	Example - Part Number
	M1-RB38#3-M6x20

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB38#3-M6x20

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB38#4 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB38#4	38 Millimeter Round Baseplate

	Example - Part Number
	M1-RB38#4-M5x25


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB38#4-M5x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB38Barb Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB38Barb	38 Millimeter Round Baseplate

	Example - Part Number
	M1-RB38Barb-M8x35


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB38Barb-M8x35

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562
Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA
Email: info@rotaloc.com
Web: www.rotaloc.com
Value - Quality - Service



M1-RB50 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB50	50 Millimeter Round Baseplate

	Example - Part Number
	M1-RB50-M8x25

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-RB50-M8x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-RB76 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
RB76	76 Millimeter Round Baseplate

	Example - Part Number
	M1-RB76-M6x50


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-RB76-M6x50

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-SB15 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
SB15	15 Millimeter Square Baseplate

	Example - Part Number
	M1-SB15-M5x35

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-SB15-M5x35

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-SB30 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
SB30	30 Millimeter Square Baseplate

	Example - Part Number
	M1-SB30-M6x20

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-SB30-M6x20

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-SB32 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
SB32	32 Millimeter Square Baseplate

	Example - Part Number
	M1-SB32-M8x25

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-SB32-M8x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562
Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA
Email: info@rotaloc.com
Web: www.rotaloc.com
Value - Quality - Service



M1-SB50 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
SB50	50 Millimeter Square Baseplate

	Example - Part Number
	M1-SB50-M10x40

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-SB50-M10x40

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-SB50rw Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
SB50rw	50 Millimeter Square Baseplate

	Example - Part Number
	M1-SB50rw-M8x35


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc[®] Representative will be happy to discuss your specific application and product specifications.

Sample Image

RW = Reverse Weld
As Shown: M1-SB50rw-M8x35

Contact Rotaloc [®]
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T24x11.5 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T24x11.5	24x11.5 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T24x11.5-M6x16


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T24x11.5-M6x16

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T38x11.5 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T38x11.5	38x11.5 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T38x11.5-M6x15


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T38x11.5-M6x15

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T38x15 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T38x15	38x15 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T38x15-M6x25

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-T38x15-M6x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562
Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA
Email: info@rotaloc.com
Web: www.rotaloc.com
Value - Quality - Service



M1-T38x15f Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T38x15f	38x15 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T38x15f-M8x40


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T38x15f-M8x40

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562
Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA
Email: info@rotaloc.com
Web: www.rotaloc.com
Value - Quality - Service



M1-T38x19 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T38x19	38x19 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T38x19-M8x35


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T38x19-M8x35

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T40x10 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T40x10	40x10 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T40x10-M5x16


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T40x10-M5x16

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562
Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA
Email: info@rotaloc.com
Web: www.rotaloc.com
Value - Quality - Service



M1-T41x19e Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T41x19e	41x19 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T41x19e-M6x25


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc[®] Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T41x19e-M6x25

Contact Rotaloc [®]
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T50x15 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T50x15	50x15 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T50x15-M5x12


Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image

As Shown: M1-T50x15-M5x12

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-T76x38 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
T76x38	76x38 Millimeter Rectangular Baseplate

	Example - Part Number
	M1-T76x38-M8x75

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-T76x38-M8x75

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service



M1-HP44 Metric

Rotaloc Int'l, LLC

M1	Male Threaded Bolt Stud
HP44	44 Millimeter Homeplate Like Baseplate

	Example - Part Number
	M1-HP44-M6x25

Thread	Common Thread Lengths - Metric									
M4	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M5	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M6	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M8	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M10	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm
M12	12mm	15mm	16mm	20mm	25mm	35mm	40mm	50mm	60mm	75mm

* Grayed-out sizes are not recommended with shown baseplate

	Customer Reference Number

Availability
Many common sizes in stock. Call for availability.

A Rotaloc® Representative will be happy to discuss your specific application and product specifications.

Sample Image
As Shown: M1-HP44-M6x25

Contact Rotaloc®
Phone: Tel (303) 948-5434 or Toll Free (888)Rotaloc/768-2562 Address: Rotaloc Int'l, LLC 9903 Titan Court, Suite #15 Littleton, CO 80125 - USA Email: info@rotaloc.com Web: www.rotaloc.com
Value - Quality - Service